



**BUILDING LEGEND**

HALLS D1, D2 AND BALLROOMS354 UTILITIES

- ELECTRICAL PORTS
- A 1 - 208V, THREE, 60AMP
- B 3 - 120V, SINGLE, 15AMP
- C 1 - 480V, THREE, 100AMP
- D 3 - 120V, SINGLE, 15AMP
- E 1 - 480V, THREE, 100AMP
- F 1 - 208V, THREE, 60AMP
- G 3 - 120V, SINGLE, 15AMP
- H 208V, THREE, 30AMP
- I 120V, SINGLE, 15AMP

PLUMBING PORTS

- 1 1" AIR, 1" GAS, 1" WATER, 4" WASTE
- 2 1" AIR, 1" GAS, 1" WATER, 4" WASTE, 2" STEAM
- 3 1" WATER, 1" WASTE
- 4 1" AIR, 1" WATER, 1" WASTE

CEILING HEIGHT IN HALL AND BALLROOMS354 = 50'

FLOOR LOAD IN HALLS D1 AND D2 IS 400# PER SQ.FT.

FLOOR LOAD IN BALLROOMS354 IS 250# PER SQ.FT.

FHC FIRE HOSE CABINET (MUST REMAIN CLEAR)

FEC FIRE EXTINGUISHER CABINET (MUST REMAIN CLEAR)

FHR FIRE HOSE RACK (MUST REMAIN CLEAR)

\* INDICATES LAST INFIRST OUT

**COLUMN LEGEND**

COLUMNS ARE ON 15' CENTERS

**FIRE HOSE CABINETS**

FIRE HOSE CABINETS FREESTANDING

**COLUMN**

**National Restaurant Association Show**  
 May 16 - 19, 2020  
 McCormick Place Lakeside Center, Level 3 - Hall D & E354